

Indiana University East

EA000B – Multi-Building – EA801 RM 326,
EA803 RM076 Classroom Update
IU# 20250563

ADDENDUM NO. 1
14218

EA801: Tom Raper Hall
EA803: Hayes Hall
2325 Chester Blvd.
Richmond, IN 47374

31 March 2026

ARTEKNA

Artekna Design · A Professional Corporation
321 East New York Street, Indianapolis, Indiana 46204
317.955.5090 | 317.955.5091 fax | www.artekna.com

THIS DOCUMENT AND ALL INFORMATION IN IT IS THE PROPERTY OF ARTEKNA DESIGN, OFFICE OF ARCHITECTURE, P.C. IT IS CONFIDENTIAL AND ITS SUBMISSION OR DISTRIBUTION TO MEET OFFICIAL REGULATORY REQUIREMENTS OR FOR OTHER PURPOSES IN CONNECTION WITH THIS PROJECT IS NOT TO BE CONSTRUED AS PUBLICATION IN DEROGATION OF ARTEKNA'S COMMON LAW COPYRIGHTS OR OTHER RESERVED RIGHTS. THIS DOCUMENT NOR ANY PARTS OF IT, NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, REPRODUCED, OR FURNISHED TO OTHERS, NOR MAY PHOTOGRAPHS BE TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THIS DOCUMENT WITHOUT THE WRITTEN CONSENT OF ARTEKNA DESIGN, OFFICE OF ARCHITECTURE, P.C.

©COPYRIGHT 2026 BY ARTEKNA DESIGN, A PROFESSIONAL CORPORATION – ALL RIGHTS RESERVED

**SECTION 000105
CERTIFICATIONS PAGE**

ARCHITECTURAL CERTIFIED BY:



ELECTRICAL CERTIFIED BY:



END OF SECTION

31 March 2026

This addendum forms a part of the Contract Documents and modifies the Project Manual and/or Drawings dated 19 February 2026 on the Cover Sheet.

GENERAL NOTES:

1. Pre-Bid Questions and Answers:
 - Q. What is the material of the trident?
 - A. The classroom tridents are PVC.

 - Q. Are existing diffusers to be reinstalled or replaced?
 - A. Existing diffusers are to be salvaged and reinstalled.

 - Q. Are existing window shades/blinds to be replaced?
 - A. Existing window shades/blinds are to remain. Contractor is to project existing window shades/blinds during construction.

 - Q. Hayes Hall. A211 Note 7. In room 074 there is note 7, is this to be included in base bid or alternate 1?
 - A. Removing, relocating, and reinstalling the coat hooks are part of Base Bid.

 - Q. Raper Hall. A131 Note 9 is missing from the key notes. Is note 9 the projector screen?
 - A. Note 9 refers to the projector screen and brackets. Refer to attached revised sheet.

 - Q. Can we use the same ACT manufacturer in both buildings?
 - A. Yes, the same ceiling grid and tile manufacturer may be used for both buildings.

CHANGES TO THE PROJECT MANUAL:

1. Section 004113 - Bid Form
 - a. Alternate Proposals
 1. Add Alternate No. 2 to read as follows:
"Provide pricing to provide a brushed aluminum trident I lieu of a white PVC trident."
2. Section 012300 - Alternates
 - a. Replace Section 012300 in its entirety with attached revised Section.

CHANGES TO THE DRAWINGS:

1. EA801 Tom Raper Hall Sheet A131 - Third Floor Demolition Plan
 - a. Add Specific Demolition Plan Note 9 to read as follows:
"9. CONTRACTOR TO REMOVE AND REINSTALL PROJECTOR SCREEN BRACKETS. COORDINATE WITH OWNER ON REMOVAL AND REINSTALLATION OF PROJECTOR SCREEN."

Attachments:

1. Pre-Bid Meeting Notes
2. Pre-Bid Sign-In
3. Section 004113 - Bid Form
4. Section 012300
5. EA801 - A131

END

ARTEKNA

PRE-BID CONFERENCE

INDIANA UNIVERSITY EAST

20250563 – EA800B - Multi-Building - EA801 RM 326, EA 803 RM076

Classroom Update

19 March 2026

These notes form a part of the Contract Documents.

PRE-BID MEETING MINUTES

- A. Bid Date: Tuesday, April 7th at 2:00 p.m. (Local Time). Bids shall be submitted to www.iuplanroom.com.
- B. A completed bid will consist of the prepared bid form found in the Project Manual; Bid Security; State Form 96 (Revised 2013); Written Drug Testing Program, which must be in full compliance with IC 4-13-18; a completed Minority, Women's and Veteran's Business Enterprise Participation Plan; Contractor Asbestos Certification; Asbestos Protocol for Contractors.
- C. The Subcontractor and Material list is requested by April 9th 2026 at 2:00p.m. Please email or fax the list to both Indiana University and Artekna.
- D. This project is bonded for Bid, Performance and Payment.
- E. There is not a wage scale requirement.
- F. There are no liquidated damages on this project, but we do expect the project to be completed at a reasonable schedule and in the timeframe given by the G.C. on the bid form.
- G. There is one alternate.
 - 1. Provide pricing for all work related to the chair rail, paint, and signage in Hayes Hall classroom 074.
- H. There are four unit prices listed on the bid form.
 - 1. Concrete Moisture Mitigation Using Alternate Adhesive
 - 2. Concrete Moisture Mitigation Using Floor Coating or Sheet Membrane.
 - 3. Addition of a telecommunications outlet
 - 4. Addition of an electrical outlet
- I. This is a tax-exempt project.

ARTEKNA

- J. The architectural and electrical plans will not be submitted to the State of Indiana for approvals. The successful contractor will need to pick-up/pay for any local permits.
- K. Project supervision is expected at all times while work is in progress.
- L. It is expected that the Contractors shall use products listed in the Project Manual. If deviations are desired or required due to timing, they must be submitted for review, before the bids are compiled. Artekna is willing to review different products, but will not generally accept substitutions after the contract is awarded. Submittals are required of all products in the Project Manual as listed. Submittals will be returned back to the Contractor in a timely manner. If there are delays for supplies due to supply chain issues, Artekna will work with the successful bidder during construction to review new products, but an effort must be made for products listed in the specifications first.
- M. This project must meet ADA. Refer to sheets A001 and A002 for ADA clearances at doors, etc. Regardless of how the drawings may scale, ADA must be held.
- N. As this project will take place, at least in part, while classes are taking place. The Contractor shall recognize that safety of faculty, staff, students, and visitors is of utmost importance. It is possible that the Owner will instruct the Contractor that certain activities that need to occur outside of the contractor's enclosed construction barriers must occur during a night or weekend shift. This work shall be included in the base bid. For example, above ceiling HVAC or plumbing work in public use spaces MUST be free of all ongoing construction activities and materials during normal occupant hours, and MUST be clean and made safe at the end of each night or weekend shift.
- O. It is anticipated that construction meetings will take place every 2 weeks. The Architect shall lead these meetings and prepare meeting minutes.
- P. The jobsite is expected to be kept clean and tidy. The property is no smoking.
- Q. Indiana University is not providing security on the project. Contractor is responsible for site safety and security.
- R. Parking permits shall be coordinated by Parking Operations for contractor's vehicles.
- S. A dumpster will be allowed. Exact location still to be determined with Physical Facilities staff.

ARTEKNA

19 March 2026

INDIANA UNIVERSITY EAST

20250563 – EA800B - Multi-Building - EA801 RM 326, EA 803 RM076 Classroom Update

Pre-Bid Conference

Name	Company	E-mail
Kyle Slaven	WCI	Kyle@wcirichmond.com
GAIL SMOKER	IU	gsmoker@iu.edu
PAUL Wilson	Wallace Heating & Air	office1@WallaceHeating1.com
Bill Day	IU	Billday@IU.EDU
Chad Phenix	E. Systems Electrical Contractors	chad@esystems-electric.com
Mike Persepouko	Persepouko Painting	persepoukopainting@gmail.com
Candace Need	IU	needc@indiana.edu needc@iu.edu
MARY BETH PARKS	IU CPF	mbparks2@iu.edu
KATIE HULL	ARTEKNA	KHULL@ARTEKNA.COM
TIM FETTIG	IU	gtFettig@iu.edu

BID FORM

for

EA000B Multi-Building – EA801 RM326, EA803 RM076 Classroom Update
Indiana University East
Richmond, Indiana
IU 20250563

TO: The Trustees of Indiana University
Bloomington, Indiana

****Submit bid online via www.iuplanroom.com****

FROM:

Bidder's Name _____

Address _____

City, State, Zip Code _____

Phone Number _____ FAX Number _____

CONTACTS:

Bid / Contract Information: Name: _____

Phone: _____ E-mail: _____

Proposed Project Manager: Name: _____

Phone: _____ E-mail: _____

Indicate if your firm is a certified minority-, women-, or veteran-owned business ___ Yes ___ No

If “Yes”, please attach a copy of certification

FOR: **Unified Bid** to include General, Mechanical, and Electrical Construction Work

Bidders:

LUMP SUM BASE BID

The undersigned Bidder, with a complete understanding of existing conditions at the Project Site and a complete understanding of the Bidding Documents, including any Addenda acknowledged hereinafter, for EA000B Multi-Building – EA801 RM 326, EA803 RM076 Classroom Updated on the Indiana University East campus, as prepared by ARTEKNA Design – A Professional Corporation hereby proposes to complete the project, in full and complete accordance with the requirements of the Bidding documents, for the LUMP SUM BASE BID PRICE of:

_____ Dollars \$ _____
(written amount) (numerals)

MAJOR SUBCONTRACTORS

Subcontractors and other persons and organizations proposed by the Bidder and accepted by the Owner and the Owner’s Representative must be used on the work for which they were proposed and accepted and shall not be changed except with the written approval of the Owner and the Owner’s Representative.

If requested, the supplemental Subcontractors and Products List will be submitted by email to the Owner, bidtab@iu.edu, and ARTEKNA, khull@artekna.com within 48 hours of the bid opening. The understanding of the Owner and the design team is that these same Major Subcontractors will be the same subcontractors listed below.

The Contractor proposes to utilize the following primary subcontractors for the work indicated.

List one major subcontractor per trade. Any deviation could result in the Owner removing the bid from consideration.

Indicate which are certified by the State of Indiana as an MBE, WBE, or VBE company by circling the M/W/VBE after the name.

HVAC Contractor: _____ M/W/VBE

Plumbing Contractor: _____ M/W/VBE

Electrical Contractor: _____ M/W/VBE

ALTERNATE PROPOSALS

1. Alternate proposals are requested under Alternates of the Bidding Documents. (See Specification Index)
2. The alternate proposal shall indicate the amount to be added to or deducted from the Lump Sum Base Bid if the alternate proposal is accepted by the Owner.
3. The alternate proposal shall include all costs necessary for the complete installation of the materials or items indicated for the alternate proposal, including materials, labor, equipment, operations, administration, overhead, profit, and taxes (as applicable).
4. The alternate proposal shall also include all costs for changes in the work (including work of other Separate Contracts) that will be made necessary by acceptance of the alternate proposal.
5. The Bidder shall submit prices for all the alternates listed below in the manner indicated. Cross out (Add) or (Deduct) as applicable. If there is no change in price to the Lump Sum Base Bid, write in "No Change".

Alternate No. 1: *Provide pricing for all work related to the chair rail, paint, and signage in Hayes Hall classroom 074.*

(Add) (Deduct) _____ Dollars \$ _____
(written amount) (numerals)

Alternate No. 2: *Provide pricing to provide a brushed aluminum trident in lieu of a white PVC trident.*

(Add) (Deduct) _____ Dollars \$ _____

UNIT PRICES

1. The following Unit Prices shall include all costs necessary for the complete installation of the materials or items indicated, including materials, labor, equipment, operations, administration, overhead, profit and taxes (if applicable).
2. These Unit Prices shall be used to determine the costs for changes in the work during the construction period, when agreed upon by the Owner.
3. These Unit Prices are submitted as a price per unit of measurement for materials or services added to or deducted from the Contract Sum by appropriate modification, if estimated quantities of Work required by the Contract Documents are increased or decreased.
4. The Bidder shall submit one Unit Price for each of the following items, plus any other Unit Prices requested in the Bidding Documents, in the manner indicated.

<u>Item</u>	<u>Unit</u>	<u>Price</u>
1. Concrete Moisture Mitigation using Alternate Adhesive per 090561.	<u>\$/sf</u>	\$ _____
2. Concrete Moisture Mitigation using Floor Coating or Sheet Membrane.	<u>\$/sf</u>	\$ _____
3. Telecommunications Outlet per 012200.	<u>\$/outlet</u>	\$ _____
4. Electrical Outlet per 012200.	<u>\$/outlet</u>	\$ _____

TAX EXEMPTIONS

The undersigned Bidder has informed himself and all his prospective sub-contractors and suppliers of the tax exempt status of the Owner, as set forth in the General Conditions, and therefore, has not included these taxes in his Lump Sum Base Bid price.

SUBSTITUTIONS

The undersigned Bidder has based his bid upon the materials, products, articles, equipment, brands, manufacturers and processes described in the Bidding Documents or upon approved equivalents. Proof of equivalency of substitutions is the responsibility of the Bidder, but the Architect/Engineer shall be the sole judge of equivalency. Proposed equivalent substitutions shall be equal in all respects to the requirements of the Bidding Documents, including but not limited to the design, quality, physical size, performance characteristics, strength, previous history of use, and to the method of installation, attachment, or connection to related or adjoining work. Determination of equivalency of proposed substitutions shall be by the Architect/Engineer, before the bid opening date, as described in paragraph entitled "Substitutions" in the Instructions to Bidders.

COMPLETION DATE

The Undersigned Bidder agrees to coordinate and expedite his work and shall take into consideration any lead time and schedule parameters with all contractors, and that this Work will be completed no later than **24 July 2026**.

ASSIGNMENT OF COORDINATION

The undersigned Bidder agrees to the assignment of Mechanical and Electrical work to the successful General Contractor for the responsibility of complete coordination of the work as stated in the Instructions to Bidders.

PERFORMANCE AND PAYMENT BOND

The undersigned Bidder agrees, if awarded the Contract, to deliver to the Owner a satisfactory Performance Bond, in the full amount (100%) of the total Contract price, not later than the date of execution of the contract. The cost of the Bond shall be included in the Lump Sum Base Bid contained in this Proposal.

SUPPLEMENTAL AND REQUIRED DOCUMENTS

Bid Security; State Form 96 (Revised 2013); Written Drug Testing Program, which must be in full compliance with IC 4-13-18; a completed Minority, Women’s and Veteran’s Business Enterprise Participation Plan; Contractor Asbestos Certification; Asbestos Protocol for Contractors.

ADDENDA

The following Addenda have been received by the undersigned Bidder; and all costs resulting from these Addenda have been included in the preparation of this Bid Form:

Addendum No. _____	Dated _____
Addendum No. _____	Dated _____
Addendum No. _____	Dated _____

SIGNATURES

1. **When a Bidder is an Individual:**

_____	_____
Witness	Bidder
Date: _____	Address: _____

2. **When a Bidder is a Partnership:**

_____	_____
	Name of Partnership
Date: _____	Address: _____

_____	_____
Partner	Partner

3. When Bidder is a Corporation:

Name of Corporation

Date: _____

Address: _____

By: _____
President

Attest: _____
Secretary

CORPORATE SEAL

END

****Submit bid online via www.iuplanroom.com****

**SECTION 012300
ALTERNATES**

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. Description of Alternates.
- B. Procedures for pricing Alternates.
- C. Documentation of changes to Contract Sum and Contract Time.

1.02 RELATED REQUIREMENTS

- A. Document 002113 - Instructions to Bidders: Instructions for preparation of pricing for Alternates.
- B. Document 004323 - Alternates Form: List of Alternates as supplement to Bid Form.
- C. Document 005200 - Agreement Form: Incorporating monetary value of accepted Alternates.

1.03 ACCEPTANCE OF ALTERNATES

- A. Alternates quoted on Bid Forms will be reviewed and accepted or rejected at Owner's option. Accepted Alternates will be identified in the Owner-Contractor Agreement.
- B. Coordinate related work and modify surrounding work to integrate the Work of each Alternate.

1.04 SCHEDULE OF ALTERNATES

- A. Alternate No. 1 - Provide pricing for all work related to the chair rail, paint, and signage in Hayes Hall classroom 074.:
 - 1. Refer to drawings and associated specifications for additional information and requirements
- B. Alternate No. 2 - Provide pricing for a brushed stainless steel trident in lieu of white PVC:
 - 1. Refer to drawings for and associated specifications for additional information and requirements

PART 2 PRODUCTS - NOT USED

PART 3 EXECUTION - NOT USED

END OF SECTION

This page intentionally left blank


GENERAL DEMOLITION NOTES

- THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO BIDDING AND SHALL BE RESPONSIBLE FOR PROJECT COMPLETION THAT IS CONSISTENT WITH THE INTENT OF THE DESIGN AND ALL APPLICABLE BUILDING CODES
- ALL DRAWING ITEMS INDICATED ON THIS PLAN WITH HEAVY DASHED LINES AS WELL AS OUTLETS AND OTHER DEVICES ASSOCIATED WITH THESE ITEMS SHALL BE REMOVED IN THEIR ENTIRETY UNLESS NOTED OTHERWISE. REMOVE RELATED MECHANICAL, ELECTRICAL AND PLUMBING (M.E.P.) ITEMS AS REQUIRED FOR NEW CONSTRUCTION. REFER TO M.E.P. DRAWINGS FOR ADDITIONAL INFORMATION
- REMOVE ALL EXISTING FINISHES INCLUSIVE OF FLOORING, BASE, WALL COVERINGS AND CEILING SYSTEMS THROUGHOUT AND IN THEIR ENTIRETY AS REQUIRED FOR NEW CONSTRUCTION
- MAKE DEMOLITION CLEAN AND COMPLETE IN A MANNER TO ACCEPT NEW FINISHES AND/OR SURFACES OR AS PER PRODUCT MANUFACTURER'S SPECIFICATIONS WHERE THOSE REQUIREMENTS ARE MORE RESTRICTIVE
- WHEN DEMOLITION CAUSES OR EXPOSES DAMAGE OR UNSUITABLE SURFACES TO FLOOR, WALL, OR CEILING SURFACES TO REMAIN EXPOSED IN THE FINISHED WORK, THE CONTRACTOR SHALL PATCH AND REPAIR CONDITIONS IN A MANNER TO ACCEPT NEW FINISHES AND/OR SURFACES AS PER PRODUCT MANUFACTURER'S SPECIFICATIONS WHERE THOSE REQUIREMENTS ARE MORE RESTRICTIVE
- ALL DEMOLITION ITEMS SHALL BE CONSIDERED THE PROPERTY OF THE OWNER UNTIL VERIFICATION HAS BEEN RECEIVED FROM THE OWNER REGARDING THEIR DISPOSAL PRIOR TO REMOVAL FROM THE SITE. ALL ITEMS NOT TO BE RETAINED BY THE OWNER SHALL BE REMOVED IN THEIR ENTIRETY
- TEMPORARY PARTITIONS AND DOORS SHALL BE PROVIDED AND MAINTAINED BY THE GENERAL CONTRACTOR AS REQUIRED BY THE OWNER, ARCHITECT, AND ENGINEER. GENERAL CONTRACTOR SHALL COORDINATE EXACT LOCATION WITH OWNER PRIOR TO CONSTRUCTION
- WHERE ANY NEW OR EXISTING DUCTWORK OR PIPING PENETRATIONS IN THE FLOOR ARE TO BE REMOVED OR RELOCATED, THE PENETRATIONS ARE TO BE FILLED WITH CONCRETE THE FULL FLOOR THICKNESS AND FINISHED IN A MANNER SUITABLE TO ACCEPT NEW FINISHES
- WHERE ANY NEW OR EXISTING DUCTWORK OR PIPING PENETRATIONS IN THE WALLS ABOVE CEILING ARE TO BE REMOVED OR RELOCATED, THE PENETRATIONS ARE TO BE PATCHED AND REPAIRED AS REQUIRED TO MATCH ADJACENT FINISHES OR ACCEPT NEW FINISHES AS APPLICABLE
- GENERAL CONTRACTOR IS RESPONSIBLE FOR PROTECTING OWNER EQUIPMENT WHICH CANNOT BE REMOVED FROM THE PROJECT AREA. CONTRACTOR TO COORDINATE WITH OWNER FOR REMOVAL OR RELOCATION OF EQUIPMENT AND CONSTRUCTION
- WHERE EXTERIOR WALLS, WINDOWS, AND/OR DOORS ARE TO BE REMOVED OR MODIFIED, THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THAT THE EXISTING BUILDING REMAINS WEATHER-TIGHT AND WITHOUT DRAFTS
- COORDINATE WITH ARCHITECT AND FACILITY STAFF, PROJECT PHASING TO MINIMIZE DISRUPTION OF EXISTING FACILITY SERVICES. PHASING TO INCLUDE ASSURANCE FOR CLEAN TO DIRTY AIRFLOW, EMERGENCY PROCEDURES, CRITERIA FOR INTERRUPTIONS, AND COMMUNICATION AUTHORITY. CONTRACTOR, OWNER, AND FACILITY STAFF TO PLAN FOR PROCEDURES ON THE EFFECTS OF NOISE AND VIBRATION ON HUMAN HEALTH AND SAFETY. THE RENOVATED AREAS SHALL BE ISOLATED FROM THE OCCUPIED AREAS DURING ALL PHASES OF CONSTRUCTION USING AIR TIGHT BARRIERS, AND EXHAUST AIR FLOW SHALL BE SUFFICIENT TO MAINTAIN NEGATIVE AIR PRESSURE IN THE CONSTRUCTION ZONE
- CONTRACTOR SHALL FAMILIARIZE THEMSELVES WITH EXISTING CONDITIONS PRIOR TO SUBMISSION OF BIDS
- ALL TRADES ARE TO VERIFY THAT ALL SALVAGED ITEMS TO BE REINSTALLED ARE IN WORKING ORDER PRIOR TO REMOVAL
- COORDINATE WITH PLUMBING PLAN THE EXTENT OF EXISTING SLAB TO BE REMOVED AS REQUIRED FOR NEW UNDERGROUND PLUMBING WORK. INFILL TRENCH WITH 3,000 PSI, NORMAL WEIGHT CONCRETE, 4'-6" SLUMP. PROVIDE NEW VAPOR BARRIER OVER EXISTING SUBGRADE AND ALL JOINTS/PENETRATIONS PRIOR TO INSTALLATION OF NEW CONCRETE. DOWEL NEW SLAB TO EXISTING SLAB USING #4 DOWELS, 18" LONG, SPACED AT 4' O.C. - EMBED MINIMUM 6" INTO EXISTING SLAB USING HILTI HY163 MAX ADHESIVE. REFER TO PLUMBING INFORMATION

DATE: 19 FEB. 2026
 SCALE: As Indicated
 DRAWN BY: P.W.K.
 PROJECT #: 14218




REVISIONS	
1	ADD NO. 1 3/31/2026



1 THIRD FLOOR DEMOLITION PLAN
 1/4" = 1'-0"

SPECIFIC DEMOLITION PLAN NOTES

- REMOVE EXISTING FLOORING IN ITS ENTIRETY. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION.
- REMOVE EXISTING CEILING IN ITS ENTIRETY. PATCH/REPAIR/PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION.
- OWNER TO REMOVE ALL EXISTING CLASSROOM FURNITURE. SALVAGE AND RETURN TO OWNER FOR REUSE.
- REMOVE EXISTING PENCIL SHARPENER. PATCH AND REPAIR ADJACENT SURFACES AS REQUIRED TO RECEIVE NEW FINISHES.
- REMOVE EXISTING CHALKBOARD IN ITS ENTIRETY. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION.
- REMOVE EXISTING BULLETIN BOARD IN ITS ENTIRETY. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION.
- REMOVE EXISTING WHITEBOARD IN ITS ENTIRETY. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION. SALVAGE AND RETURN WHITEBOARD TO OWNER.
- REMOVE EXISTING WOOD CHAIR RAIL. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION. SALVAGE AND RETURN CHAIR RAIL TO OWNER.
- CONTRACTOR TO REMOVE AND REINSTALL PROJECTOR SCREEN BRACKETS. COORDINATE WITH OWNER ON REMOVAL AND REINSTALLATION OF PROJECTOR SCREEN.
- REMOVE EXISTING SPEAKERS AND MICROPHONES FROM CEILING. PATCH / REPAIR / PREPARE ADJACENT SURFACES AS REQUIRED FOR NEW CONSTRUCTION.
- OWNER TO REMOVE EXISTING PROJECTOR & WAP FROM ROOM. OWNER TO SALVAGE AND REINSTALL DURING NEW CONSTRUCTION.



2 TEMPORARY DUSTPROOF ENCLOSURE DETAIL
 3\"/>


WALL RATINGS LEGEND

NEW		EXISTING	
1 HOUR FIRE BARRIER	[Pattern]	1 HOUR FIRE BARRIER	[Pattern]
1 HOUR FIRE RATED SMOKE BARRIER	[Pattern]	1 HOUR FIRE RATED SMOKE BARRIER	[Pattern]
2 HOUR FIRE BARRIER	[Pattern]	2 HOUR FIRE BARRIER	[Pattern]
2 HOUR FIRE/SMOKE BARRIER	[Pattern]	2 HOUR FIRE/SMOKE BARRIER	[Pattern]
3 HOUR FIRE WALL	[Pattern]	3 HOUR FIRE WALL	[Pattern]
SMOKE RESISTANT HAZARDOUS ROOM PARTITION	[Pattern]	SMOKE RESISTANT HAZARDOUS ROOM PARTITION	[Pattern]
NON-RATED SMOKE PARTITION	[Pattern]	NON-RATED SMOKE PARTITION	[Pattern]

ALL RATED WALLS AND SMOKE PARTITIONS SHALL EXTEND FROM THE FLOOR TO THE BOTTOM OF THE STRUCTURAL FLOOR OR ROOF SLAB ABOVE. SEAL/FIRESTOP AT TOP AND BOTTOM OF WALL AND AROUND ALL PENETRATIONS. PACK SAFING INSULATION IN THE VOID SPACE BETWEEN METAL DECK FLUTES AND THE TOP OF THE RUNNER CHANNEL. CONTRACTOR SHALL FURNISH AND INSTALL ALL FIREPROOFING MATERIALS NECESSARY TO RETAIN THE INTEGRITY OF FIRE RATED CONSTRUCTION. CONTRACTOR SHALL PROVIDE FIRESTOPPING WITH UL LISTING AS REQUIRED BY THE MANUFACTURER'S RECOMMENDATION TO COMPLETE THE INTENDED ASSEMBLY OF THE WALL TYPE.

REFER TO SHEETS A001 AND A002 FOR WALL/PARTITION PRIORITY DETAIL AND INFORMATION. THIS DETAIL APPLIES TO ALL INTERSECTIONS OF RATED WALLS AND NON-RATED WALLS.

KEY PLAN



IU# 20250563
 EA801 TOM RAPER HALL
 INDIANA UNIVERSITY EAST
 2325 CHESTER BLVD, RICHMOND, IN 47374

CONSTRUCTION DOCUMENTS

ARTEKNA
 Artekna Design - A Professional Corporation
 521 East New York Street, Indianapolis, Indiana 46204
 Office: 317.253.2661 | Fax: 317.253.2661 | www.artekna.com

THIRD FLOOR DEMOLITION PLAN
A131